Estimate for Box Culvert Maplebrook Drive STA 10+57.8

ITEM	QTY	QTY UNIT		UN	UNIT PRICE		TOTAL	
UNCLASSIFIED EXCAVATION		890	CV	\$	8.00	\$	7,120.00	
FOUNDATION BACKFILL (#57		830	<u> </u>	۷_		~	1,120.00	
STONE)(INCLUDES 1 FOOT BEDDING)		376	TONS	\$	36.00	\$	13,536.00	
CRUSHED AGG BASE COURSE (6" DEPTH)		187	SY	\$	7.00	\$	1,309.00	
2" BINDER (ALDOT 424B 225 LB/SY)		22	TONS	\$	90.00	\$	1,980.00	
1" WEARING (ALDOT 424A 110 LB/SY)		11	TONS	\$	105.00	\$	1,155.00	
Combination Curb & Gutter, Type C, 24", Complete In-Place								
PER C.O.H. SPECIFICATION #625		100	ĻF	\$	8.00	\$	800.00	
DOUBLE 10X8 BOX CULVERT WITH 30/60 DEGREE WING WALLS (COMPLETE IN- PLACE, ALDOT STANDARD CULVERT AND								
WINGWALLS)		1	LS	\$	60,000.00	\$	60,000.00	
HANDRAIL (PER ALDOT STANDARDS)		52	LF	\$	15.00	Ş	780.00	
4' SIDEWALK		100	LF	\$	10.00	\$	1,000.00	
CLASS 1 RIP RAP		200	TONS	\$	20.00	\$	4,000.00	


\$ 91,680.00



Karl Breland Land Development

Cellular 256.990.3250 Fax 256.713.3637

karl@brelandcompanies.com www.brelandcompanies.com



AEDInges 9/25/2012 1:56:52 PM WORKSPACE: Garver L'Azbübisegars road subkatewings phase 2KREVISION/teuhert.dgn The preliminary or Certified Plat shall specify whether proposed utilities are to be placed underground or above-ground, including electric service, telephone lines, and cable television lines.

All utility facilities existing and proposed throughout the subdivision shall be shown on the Preliminary Plat.

Easements centered on rear and/or side lot lines shall be provided for utilities (private and municipal); such easements shall be at least ten (10) feet wide.

Proper coordination shall be established between the applicant and the applicable utility companies for the establishment of utility easements.

Easements shall be indicated on the plat.

Applicants are encouraged to be knowledgeable of City and utility company street lighting standards.

- b. The Planning Commission may, by majority vote, permit the installation of aboveground electric, cable television, or telephone service if it concludes that one or more of the following conditions are met:
 - 1. above-ground service would enhance the public safety
 - 2. above-ground service would be in the interest of preservation of the character of the area or adjacent areas, and/or the Planning Commission desires to pursue this goal for the area under development
 - 3. the City Engineer certifies that installation of underground utilities is not good engineering practice due to physical attributes particular to the land being developed
 - 4. as a variance pursuant to Article IX of these Subdivision Regulations

6-1-13 Bridges: Bridges of primary benefit to the applicant, as determined by the Planning Commission, shall be constructed at the full expense of the applicant without reimbursement from the City of Madison.

The sharing expense for the construction of bridges not of primary benefit to the applicant as determined by the Planning Commission will be fixed by special agreement between the City Council and the applicant.

Said cost shall be charged to the applicant prorata as the percentage of his land developed and so served.

6-1-14 Widening and Realignment of Existing Roads: Where a subdivision borders an existing narrow road, the Planning Commission staff shall perform an evaluation pursuant to Ordinance No. 94-110.